

# Contents

<b>1</b>	<b>Introduction</b>	<b>15</b>
1.1	History and approaches to soil management in the Netherlands . . . . .	16
1.2	Soil quality and so called “soil quality maps” . . . . .	18
1.3	Aim of this thesis . . . . .	18
1.4	Outline of this thesis . . . . .	19
<b>2</b>	<b>Geology and pedology of Zeeland</b>	<b>21</b>
2.1	Introduction . . . . .	21
2.2	Basic geographic information . . . . .	22
2.3	Geology of Zeeland . . . . .	23
2.3.1	Pleistocene period: terrestrial phase . . . . .	24
2.3.2	Forming of the Basal Peat . . . . .	24
2.3.3	Calais deposits, first inundation . . . . .	25
2.3.4	Holland Peat . . . . .	25
2.3.5	Duinkerke deposits . . . . .	25
2.4	Human activities . . . . .	27
2.4.1	Dikes and embankments . . . . .	27
2.4.2	Peat excavation . . . . .	29
2.4.3	Parceling and land reconstruction . . . . .	29
2.4.4	Agricultural inputs . . . . .	30
2.5	Landscape and soil geomorphology . . . . .	30
2.5.1	Heartlands . . . . .	32
2.5.2	Channel ridges and creeks . . . . .	33
2.5.3	Accretion polders . . . . .	35
2.5.4	Groundwater . . . . .	36
2.6	Summary and conclusion . . . . .	38

<b>3</b>	<b>Natural and anthropogenic patterns of covariance and spatial variability of minor and trace elements in agricultural topsoil</b>	<b>41</b>
3.1	Introduction . . . . .	41
3.2	Materials and methods . . . . .	42
3.2.1	Area . . . . .	42
3.2.2	Spatial variance and sampling theory . . . . .	43
3.2.3	Sampling and chemical analysis . . . . .	45
3.2.4	Data analysis . . . . .	46
3.3	Results and discussion . . . . .	48
3.4	Conclusions . . . . .	56
<b>4</b>	<b>Sampling and analyses for a regional environmental soil geochemical survey</b>	<b>61</b>
4.1	Introduction . . . . .	61
4.2	Material and methods . . . . .	62
4.2.1	Study area . . . . .	62
4.2.2	General research approach . . . . .	64
4.2.3	Field sampling . . . . .	65
4.2.4	Sample preparation . . . . .	66
4.2.5	Chemical analyses . . . . .	67
4.2.6	Precision and accuracy . . . . .	68
4.2.7	Outliers . . . . .	70
4.2.8	Parametric levelling . . . . .	70
4.3	Results and interpretation . . . . .	72
4.3.1	Precision . . . . .	72
4.3.2	Accuracy . . . . .	73
4.3.3	Outliers . . . . .	74
4.3.4	Parametric levelling of data . . . . .	75
4.3.5	Comparison between XRF and ICP-MS . . . . .	76
4.3.6	Parameter selection and summary statistics . . . . .	78
4.4	Discussion and conclusions . . . . .	82
<b>5</b>	<b>Enrichment and natural variability versus anthropogenic impact</b>	<b>95</b>
5.1	Introduction . . . . .	95
5.2	The Zeeland geochemical soil data . . . . .	97
5.3	Concepts and methods . . . . .	97

5.3.1	Assessing enrichments and baselines in attribute space . . . . .	97
5.3.2	Spatial representation and spatial anomalies . . . . .	104
5.4	Results and interpretation . . . . .	105
5.4.1	Univariate statistics for the Zeeland topsoil data. . . . .	105
5.4.2	Univariate comparison with reference data and legal threshold levels	107
5.4.3	Correlation and regression with Al . . . . .	113
5.4.4	Spatial patterns of topsoil enrichments . . . . .	118
5.5	General discussion and conclusions . . . . .	123
<b>6</b>	<b>Regional diffuse geochemical patterns and processes</b>	<b>129</b>
6.1	Introduction . . . . .	129
6.2	Material and methods . . . . .	130
6.2.1	Study area and geochemical topsoil data . . . . .	130
6.2.2	Principal component analysis . . . . .	131
6.2.3	Fuzzy c-means clustering . . . . .	133
6.2.4	Statistical software packages . . . . .	134
6.3	Results and interpretation . . . . .	134
6.3.1	Principal components analysis . . . . .	134
6.3.2	Anthropogenic subprocesses . . . . .	138
6.3.3	Fuzzy clustering . . . . .	140
6.4	General discussion and conclusions . . . . .	142
<b>7</b>	<b>Assessment of regional DDT concentrations in the soils of Zeeland</b>	<b>149</b>
7.1	Introduction . . . . .	149
7.2	DDT, properties and history . . . . .	150
7.3	Study area . . . . .	151
7.4	Method . . . . .	152
7.4.1	Collection of data . . . . .	152
7.4.2	Basic statistical analysis . . . . .	153
7.4.3	Analysis of variance . . . . .	154
7.4.4	Regional variability . . . . .	154
7.4.5	Comparison with external data and normative values . . . . .	155
7.4.6	DDT breakdown . . . . .	155
7.5	Results . . . . .	156
7.5.1	Data merging and selection . . . . .	156

7.5.2	Exploratory statistics . . . . .	157
7.5.3	Local and regional variability . . . . .	159
7.5.4	Regional overview . . . . .	161
7.5.5	Comparison with external data and normative values . . . . .	162
7.5.6	DDT breakdown . . . . .	166
7.6	Discussion and conclusions . . . . .	167
<b>8</b>	<b>Synthesis</b>	<b>171</b>
8.1	Methods used . . . . .	171
8.2	Achievements of this study . . . . .	172
8.3	Implications . . . . .	174
	<b>Bibliography</b>	<b>175</b>
	<b>Abstract - Geochemical patterns in the soils of Zeeland, natural variability versus anthropogenic impact</b>	<b>185</b>
	<b>Samenvatting - Geochemische patronen in de bodems van Zeeland, natuurlijke variabiliteit versus antropogene impact</b>	<b>193</b>
	<b>Dankwoord</b>	<b>203</b>
	<b>Curriculum Vitae</b>	<b>205</b>

# Figures

2.1	Topography of Zeeland . . . . .	22
2.2	Pictures of the landscape of Zeeland. Both pictures were taken in Zeeuws-Vlaanderen.	23
2.3	Simplified geological cross section of Zeeland . . . . .	24
2.4	Simplified geology of the Duinkerke deposits . . . . .	26
2.5	History of embankment . . . . .	28
2.6	Historical usage of P and K fertilisers . . . . .	31
2.7	Landscape typology . . . . .	32
2.8	Simplified soil map of Zeeland . . . . .	33
2.9	Digital elevation model of Zeeland . . . . .	34
2.10	Schematic cross section of the origin of ridge inversion of tidal channels . . . . .	35
2.11	Excerpt from digital elevation model showing pool areas . . . . .	36
2.12	Excerpt from digital elevation model showing channel ridges . . . . .	37
2.13	Excerpt from digital elevation model showing accretion polders . . . . .	38
3.1	Location map . . . . .	43
3.2	Stacking of levels of variation design . . . . .	44
3.3	Stacking of levels of sample design . . . . .	46
3.4	Contribution of the hierarchical variance components . . . . .	53
3.5	Summary of cumulative spatial variance patterns . . . . .	58
3.6	Variance Ratios . . . . .	59
4.1	Topography of Zeeland . . . . .	63
4.2	Sample locations per survey . . . . .	67
4.3	Principal concepts of levelling . . . . .	71
4.4	Example of levelling of Ga . . . . .	77
4.5	Comparison between selected elements from the XRF and ICP-MS . . . . .	81
4.6	Histograms for selected elements and oxides analysed in the topsoil samples . . . . .	85
5.1	Map of Zeeland with sample locations . . . . .	98

5.2	Cumulative probability plots of a selection of components . . . . .	106
5.3	Regional distribution of a selection of components expected not to be influenced by human processes . . . . .	108
5.5	Ratio of median values for Zeeland topsoil and the average upper continental crust	110
5.6	Ratio of median values for the Zeeland topsoil and the median of the subsoil . . . .	112
5.7	Ratio of median values and legal threshold value . . . . .	114
5.8	Scatter plots of $Al_2O_3$ versus selected elements . . . . .	116
5.9	Box plots of the enrichment ratio $e$ . . . . .	120
5.10	Spatial pattern of the enrichment for selected elements . . . . .	121
5.11	Spatial representation of the contamination index . . . . .	123
5.12	Spatial pattern of the ratio with the S-value for selected elements . . . . .	124
6.1	Topography of Zeeland and sampling locations . . . . .	131
6.2	Scree plot of the eigenvalues from the first 8 of 30, unrotated, components . . . . .	135
6.3	PCA loading plots . . . . .	137
6.4	Regional distribution of rotated factor scores . . . . .	139
6.5	FCCM centroids of the scaled data. . . . .	141
6.6	Box and Whisker plots of the distribution of the 8 elements for each cluster . . . . .	143
6.7	Box and Whisker plots of the distribution of selected elements for each cluster . . . .	144
6.8	Regional distribution of the FCCM memberships of the sample locations. . . . .	148
7.1	Topography of Zeeland . . . . .	152
7.2	Selected sample locations from the soil information systems of Zeeland . . . . .	158
7.3	Boxplots of log scaled concentration $\sum DDx$ by survey . . . . .	160
7.4	Cumulative frequency plot concentration $\sum DDx$ . . . . .	161
7.5	Variance versus approximate scale . . . . .	163
7.6	Semivariogram of the regional $\sum DDx$ concentrations . . . . .	164
7.7	Regional overview of $\sum DDx$ concentrations . . . . .	165
7.8	Relation of organic matter (TOC) and $\sum DDx$ . . . . .	166
7.9	Relation between DDT, its isomers DDE and DDD, and the number of half-times . .	168

# Tables

3.1	Statistical summary after outlier replacement of the geochemical data for the clayey top soils of Zeeland . . . . .	48
3.2	Varimax rotated principal component factor loadings . . . . .	50
3.3	Correlations of concentrations of elements, not included in the PCA-V . . . . .	50
3.4	Relative percentages of the variance components for each level and their total . . .	51
3.5	Fuzzy cluster memberships . . . . .	56
3.6	Relation between covariance structure (PCA-V) and the clustered UANOVA variance patterns . . . . .	57
4.1	Year, region and number of sample locations . . . . .	66
4.2	Attributes analysed per survey and method . . . . .	69
4.3	Average precision for ICP-MS . . . . .	73
4.4	Average precision for XRF . . . . .	74
4.5	Accuracy of the XRF analyses . . . . .	74
4.6	Accuracy of the ICP-MS analyses . . . . .	75
4.7	Number of outliers . . . . .	76
4.8	Results of the levelling for the XRF data . . . . .	78
4.9	Results of the levelling for the ICP-MS data . . . . .	79
4.10	Differences and correlations between elements analysed by both XRF and ICP-MS	80
4.11	Selected elements . . . . .	80
4.12	Statistical summary of the geochemical data for the topsoil of Zeeland. . . . .	86
4.13	Statistical summary of the geochemical data for the subsoil of Zeeland. . . . .	90
5.1	Elements selected from the Zeeland dataset . . . . .	97
5.2	Statistical concepts for assessing enrichments and baselines . . . . .	99
5.3	<i>S</i> values and regression parameters . . . . .	104
5.4	Percentiles of Zeeland topsoil . . . . .	107
5.5	Pearson correlation with topsoil Al <sub>2</sub> O <sub>3</sub> . . . . .	115
5.6	Regression constants of the regression of subsoil concentrations . . . . .	119

5.7	Enrichment ratios in the topsoil . . . . .	119
5.8	Enrichment differences for the topsoil . . . . .	120
6.1	Varimax rotated factorloadings and communalities . . . . .	136
6.2	Robust correlation of other elements with PCA factor scores . . . . .	138
6.3	Correlation of anthropogenic elements . . . . .	140
6.4	Median values for each FCMC cluster . . . . .	144
7.1	Databases and survey area used for merged dataset . . . . .	157
7.2	Summary values for $\sum DDx$ and total organic carbon . . . . .	159
7.3	Results ANOVA on the replicated samples . . . . .	162
7.4	Percentage of sample points exceeding the <i>S</i> -value. . . . .	165
7.5	Selected $\sum DDx$ vaues from other areas. . . . .	169